

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 05-012392
(43)Date of publication of application : 22.01.1993

(51)Int.Cl. G06F 15/62
G06F 15/40

(21)Application number : 03-167016 (71)Applicant : NIPPON TELEGR & TELEPH CORP <NTT>
(22)Date of filing : 08.07.1991 (72)Inventor : TAKEDA TADAO


(54) ALBUM TYPE IMAGE DATA BASE SYSTEM

(57)Abstract:

PURPOSE: To shorten the time required for the registration of the album of the album type image data base system by facilitating input operation for image information.

CONSTITUTION: A combination of pieces of information on the kind of image information inputted to pages constituting the album, the display position and display size of the image information, and the input conditions of the image information is defined as page types and registered, a desired page type is selected among the page types registered when the album is registered to set a page in the album, and the image information is inputted to the page according to the combination of pieces of information on the kind, display position, display size, and input conditions of the image information set in the page or by altering part of the combination.

Consequently, the input operation for the image information of the album type image data base system is facilitated and the time required for the registration of the album is shortened.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

* NOTICES *

JPO and NCIP are not responsible for any
damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.*** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1] The album which can be specified as only by one or more indexes or keywords is defined. This album is constituted by one or more pages. For every page concerned one or more image information In the album mold image database system registered by matching with the input condition of the fractional dimension within the class of this image information, and the page concerned of this image information, the information on a display position, and this image information Consider the input condition of the fractional dimension within the class of image information registered into the page which constitutes an album, and the page of this image information, a display position, and this image information as a page type, and definition and registration of it are done. At the time of registration of the image information to an album, choose a desired page type out of the already registered page type, and a page is set as the above-mentioned album at it. Album mold image database system characterized by changing these parts and registering image information into the page concerned according to the input condition of the fractional dimension of the class of image information which it comes to set as this page by this, and this image information, a display position, and this image information.

[Translation done.]

* NOTICES *

JPO and NCIP are not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.*** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Industrial Application] This invention relates to image database system, and especially, image information is registered and saved or it relates to the image database system which has the means searched and displayed.

[0002]

[Description of the Prior Art] In this conventional kind of album mold image database system, image information is registered according to the procedure shown, for example in drawing 7 . The registration approach of image information is explained according to the flow chart of drawing 7 .

[0003] First, the add function of image information is chosen at step 41. It chooses from the album type already set up and registered at step 42, the album which should be registered is set up, and a value is set as the index for registration / retrieval and keyword of this album at step 43.

[0004] At step 44, the page which sets one page as this album, or has already been set up is chosen. The class of image information to input is chosen and specified at step 45. As a class of image information, there are color photography image information, monochrome photograph image information, color scanner image information, and black and white scanner image information, for example. At step 46, the input condition of the image information to input, an image display location, and an image display dimension are set up. As an input condition of image information, they are the resolution to color scanner image information, brightness, the number of bits per pixel, etc., for example. Image information is inputted and is expressed on an image display screen as step 47 according to the display position and fractional dimension within the set-up page.

[0005] At step 48, when it is judged whether image information is inputted further and image information is inputted, it progresses to step 49. When image information is not inputted any longer, it progresses to step 50. At step 49, in order to input the following image information, it is judged whether the page to input is changed. When changing a page, it progresses to step 44. When not changing a page, it progresses to step 45. An album is registered into a database at step 50.

[0006]

[Problem(s) to be Solved by the Invention] However, in the conventional album mold image database system, when image information was registered, information, such as a class of image information, an image information input condition, an image display location, and an image display dimension, needed to be set up or changed for every image information. Therefore, the long processing time was taken to register much image information, and there was a problem that the actuation for registration became very complicated.

[0007] or [that the group of information, such as the class, an input condition of image information, an image display location, and an image display dimension, is similar about the image information into which the object of this invention is inputted for every page] — or alter operation of the image information to an album in agreement is made simple, and it is in offering the album mold image database system which can shorten the duration which registration of this album takes.

[0008] Other objects and new descriptions are clarified by description and the accompanying drawing of this description at said row of this invention.

[0009]

[Means for Solving the Problem] In order to attain said object, it sets to this invention. The album which can be specified as only by one or more indexes or keywords is defined. This album is constituted by one or more pages. For every page concerned one or more image information In the album mold image database system registered by matching with the input condition of the fractional dimension within the class of this image information, and the page concerned of this image information, the information on a display position, and this image information Consider the input condition of the fractional dimension within the class of image information registered into the page which constitutes an album, and the page of this image information, a display position, and this image information as a page type, and definition and registration of it are done. At the time of registration of the image information to an album, choose a desired page type out of the already registered page type, and a page is set as the above-mentioned album at it. It is characterized by changing these parts and registering image information into the page concerned according to the input condition of the fractional dimension of the class of image information which it comes to set as this page by this, and this image information, a display position, and this image information.

[0010]

[Function] The class of image information which is inputted into the page which constitutes an album as a page type according to the above-mentioned means. The group of information, such as an input condition of image information, a display position of image information, and a fractional dimension of image information, is defined and registered. Choose a desired page type out of the page type by which registration was carried out [above-mentioned] at the time of registration of an album, and a page is set as an album. Since the group of information, such as a class of image information, an input condition of image information, a display position of image information, and a fractional dimension of image information, is set as this page by this, For every image information inputted into a page like this conventional kind of system, the class of this image information, It is not necessary to set up the group of information, such as an input condition, a display position, and a fractional dimension, a part of group of this information can be changed according to the group of the information by which setting out was carried out [above-mentioned], and image information can be inputted into a page.

[0011] For this reason, actuation of setting up the group of information, such as a class of the above-mentioned image information incidental to image information and an input condition, becomes very simple, and the duration which the input of image information and registration of an album take can be shortened substantially. or [moreover, / to which the magnitude of a database becomes large / that it is alike and the group of the above-mentioned information is in agreement by following] — or it is expected that the number of the albums which have a similar page increases, and the duration which the facilitation of actuation which sets up *** of the information incidental to the above-mentioned image information, the input of image information, and registration of an album take can be shortened.

[0012]

[Example] Hereafter, the example of this invention is explained to a detail using a drawing.

[0013] The mimetic diagram having shown in the detail the content from which drawing and drawing 3 which show the outline configuration of equipment for the flow chart and drawing 2 which showed the page type registration procedure in which of drawing 1 was one example of this invention to carry out one example of this invention are stored in the album storing section in drawing 2, the page type storing section, and the album type storing section, and drawing 4 are the mimetic diagrams having shown one example of a page type setting-out screen.

[0014] The operation equipment of the album mold image database system of this example is equipped with the computer 18 which consists of main memory 16 and arithmetic and program control 17 including the external storage 14 which consists of an output unit 13 which consists of indicating equipments, such as the image information input device 12 which consists of a camera for inputting the mouse for inputting a command, the command input device 11 which consists of a keyboard, and image information as shown in drawing 2, a scanner, etc., a display, and CRT, an optical disk, etc., and the type Management Department 15. And in said type Management Department 15, said external storage 14 contains page type storing section 15A and album type storing section 15B including album storing section 14A.

[0015] The detail of these album storing section 14A, page type storing section 15A, and album type storing section 15B is shown in drawing 3.

[0016] The albums A1 and A2 and A3 which were created are stored in album storing section 14A. One album consists of one or more pages PG1, PG2, and PG3, and one or more image information M1, M2, and M3 is written in each page.

[0017] One or more page types PT1 and PT2 give the page type number PN to page type storing section 15A, and are stored in it. One page type has the groups GJ1, GJ2, and GJ3 of one or more image information, the image information number GN gives the group of each image information — having — (**) — the class of image information, and (**) — information, such as an input condition of the display-position (d) this image information within the fractional dimension within the page concerned of this image information and the page concerned of this (Ha) image information, is written in.

[0018] One or more already registered album types AT1, AT2, and AT3 give the album type number AN to album type storing section 15B, and are stored in it, and it has the item for filling in suitably the index for registration / retrieval or keyword of an album.

[0019] An example of a page type setting-out screen is shown in drawing 4. In drawing 4, Bi (i= 1, 2, 3, 4) is the carbon button which chooses the class of image information, and, for B1, a monochrome photograph and B-2 are [a black and white scanner image and B4 of a color photography image and B3] color scanner images. C is the input condition setting-out field of image information, and the point of the upper left hand corner of this image information input area and a lower right angle and W of the image information input area where the input area of a page type name and IR were set as the setting-out field of an image information input area, and IM was set as the setting-out field IR of an image information input area for N, and P1 and P2 are the display screens.

[0020] Next, the page type registration procedure in the album mold image database system of this example is explained.

[0021] Page type registration chooses a page type add function at step 1, as shown in drawing 1.

[0022] The page type setting-out screen of drawing 4 is expressed to the display screen W of an image display device 3 as step 2.

[0023] The name of the page type to register is inputted at step 3. In the example shown in drawing 4, a page type name is inputted into the page type name input area N from the keyboard of a command input device 11.

[0024] The class of image information to input is chosen at step 4. In the example of drawing 4, the class of image information corresponding to the this specified carbon button Bi is chosen by specifying a carbon button Bi using the keyboard or mouse of a command input device 11.

[0025] At step 5, the display position and fractional dimension of the image information inputted are set up. In the example of drawing 4, the display position and fractional dimension of image information are set up by using the mouse or keyboard of a command input device 11 for the setting-out field IR of an image information input area, and specifying the point P1 of the upper left hand corner of the image information input area IM, and the point P2 of a lower right angle.

[0026] At step 6, conditions, such as resolution, brightness, and the number of bits per pixel, are set as the image information input condition field C for example, to a color scanner image.

[0027] At step 7, it judges whether the procedure from step 4 to step 6 is repeated. Here, in repeating, it progresses to step 4, and when not repeating, it progresses to step 8.

[0028] At step 8, the page type set up by the procedure from step 3 to step 7 is registered. The page type number PN is given automatically.

[0029] Next, the registration procedure of the image information in the album mold image database system which is this example is explained using drawing 2, drawing 3, drawing 5, and drawing 6.

[0030] The flow chart which showed the registration procedure of image information [in / in drawing 5 / the album mold image database system of this example], and drawing 6 are the mimetic diagrams having shown one example of the page set up in the album by choosing and specifying one desired page type out of the already registered page type.

[0031] The registration procedure of image information chooses the add function of image information at step 21, as shown in drawing 5.

[0032] At step 22, the album which should choose and register a desired type from the album type already registered into album type storing section 15B of drawing 2 is set up.

[0033] At step 23, a value is set as the index for registration / retrieval and keyword of this album.

[0034] At step 24, the page which sets one page as this album, or has already been set as this album is chosen.

[0035] At step 25, it judges whether a page type is specified as the page set up or chosen at step 24. When specifying a page type, it progresses to step 26, and when not specifying a page type, it progresses to step 27.

[0036] At step 26, a desired page type is chosen and specified out of the page type already set up and registered as shown in the page set up or chosen at step 24 at 15A of drawing 3.

[0037] One example of the page set up by specifying a page type as drawing 6 is shown. By drawing 6, IM1 to a page and IM4 are image information input areas, the class of image information to input and the input condition of image information match PG with IMi (i= 1, 2, 3, 4), and it registers with this page. In order to display the class of image information of IMi, IMi is displayed using a different color for every class of image information.

[0038] At step 27, it judges whether image information is inputted into the image information input area IMi set up by page type assignment, and when inputting image information into the image information input area IMi, it progresses to step 28. When not using the image information input area IMi set up, it progresses to step 34.

[0039] At step 28, one desired image information input area IMi in IM4 is chosen from the image information input area IM 1 set as the page concerned by specifying a page type.

[0040] At step 29, it judges whether the image information input condition set as the selected image information input area IMi, an image display location, and an image display dimension are changed. When not changing, it progresses to step 31. When changing, it progresses to step 30.

[0041] At step 30, the image information input condition set as the image information input area IMi, an image display location, and an image display dimension (the location and dimension of an image information input area) are changed. For example, by specifying modification, the input condition set up is displayed on an image display screen, and a change of an image information input condition is made by correcting and changing the set point of this input condition with the keyboard of a command input device 11. Modification of an image display location or a fractional dimension specifies modification, newly specifies the location of the upper left hand corner of an image information input area, and the location of an upper right corner in a page, and is performed by newly setting up an image information input area.

[0042] Desired image information is inputted into the selected image information input area IMi from the image information input unit 12, and it expresses to the output units 13, such as CRT, as step 31. At step 32, it judges whether image information is inputted further. When progressing to step 33 when inputting image information, and not inputting, it progresses to step 36.

[0043] At step 33, it judges whether a page is changed although image information is inputted further. When not changing a page, it progresses to step 28, and when changing a page, it progresses to step 24.

[0044] When inputting image information without using for step 35 the image information input area IM set as the page from step 34, or since the page type is not specified, it is a procedure in the case of inputting image information into the page to which the image information input area is not set.

[0045] The class of image information to input is chosen and specified at step 34. As a class of image information, there are color photography image information, monochrome photograph image information, color scanner image information, and black and white scanner image information, for example.

[0046] At step 35, the input condition of the image information to input, an image display location, and an image display dimension are set up. As an input condition of image information, there is the number of bits per pixel etc., for example in the resolution and the ** lightness to color scanner image information. After processing of step 35 is completed, it progresses to step 31.

[0047] At step 36, an album is registered and registration processing of image information is ended.

[0048] So that the above explanation may show in the album mold image database system of this example The class of image information inputted into a page, the input condition of image information, the display position of image information, And consider the group of the information of the fractional dimension of image information as a page type, and definition and registration of it are done. Choose a desired page type out of the page type by which registration was carried out [above-mentioned] at the time of registration of an album, and a page is set as an album. By this, according to the group of information, such as a class of image information set as this page, an input condition of image information, a display position of image information, and a fractional dimension of image information, a part of group of this image information can be changed, and image information can be inputted into this page, or [for this reason, / that the group of information, such as a class of image information inputted for every page, an input condition of image information, a display position of image information, and a fractional dimension of image information, is in agreement] — or the alter operation of the image information to a similar album becomes easy, and the duration which registration of the input and album of image information takes can be shortened substantially.

[0049] or [to which the magnitude of a database becomes large / that it is alike and the group of the above-mentioned information is in agreement by following] — or it is expected that the number of the albums which have a similar page increases, and it becomes that the advantage which the system of this invention called compaction of the duration which the facilitation of actuation which sets up the group of the information incidental to the above-mentioned image information, the input of image information, and registration of an album take has is effective increasingly.

[0050] As mentioned above, although this invention was concretely explained based on the example, it cannot be overemphasized that it can change variously in the range which this invention is not limited to said example and does not deviate from the summary.

[0051]

[Effect of the Invention] As explained above, according to the album mold image database system of this invention For every image information inputted into a page like this conventional kind of system, the class of this image information, Since it is not necessary to set up the group of information, such as an input condition, a display position, and a fractional dimension, a part of group of this information is changed according to the group of the information by which setting out was carried out [above-mentioned] and image information is inputted into a page Actuation of setting up the group of information, such as a class of the above-mentioned image information incidental to image information and an input condition, becomes very simple, and the duration which the input of image information and registration of an album take can be shortened substantially.

[Translation done.]

* NOTICES *

JPO and NCIP1 are not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.*** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] The flow chart explaining the page type registration procedure in the album mold image database system which is one example of this invention.

[Drawing 2] Drawing showing the outline configuration of the equipment for carrying out one example of this invention.

[Drawing 3] The mimetic diagram having shown the content stored in the memory apparatus in drawing 2 in the detail.

[Drawing 4] The mimetic diagram having shown one example of the page type setting-out screen of this invention.

[Drawing 5] The flow chart which showed the registration procedure of the image information in the album mold image database system which is this example.

[Drawing 6] The mimetic diagram having shown one example of the page set up in the album by choosing and specifying one desired page type out of the page type with which this example is already registered.

[Drawing 7] The flow chart explaining the registration procedure of the image information in the conventional album mold image database system.

[Description of Notations]

11 — A command input device, 12 — An image information input unit, 13 — Output unit, 14 — External storage, 14A — The album storing section, 15 — Type Management Department, 15A — The page type storing section, 15B — The album type storing section, 16 — Main memory, 17 [— Page,] — Arithmetic and program control, 18 — A computer, A — An album, PG M [— The group of image information,] — Image information, PT — A page type, PN — The page number, GJ GN [— A page type name input area, IR / — The setting-out field of an image information input area IM / — An image information input area, P1 P2 / — The point of the upper left hand corner of the image information input area IM, and an upper right corner, W / — Display screen.] — An image information number, B — A carbon button, C — An image information input condition setting-out field, N

[Translation done.]

* NOTICES *


JPO and NCIP are not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.*** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

DRAWINGS


[Drawing 1]

図 1




[Drawing 2]

図 2




[Drawing 3]

図 3




[Drawing 4]

☒ 4




[Drawing 6]

☒ 6




[Drawing 7]

図 7



[Drawing 5]

図 5



[Translation done.]

(51)IntCl. ⁴ G 0 6 F 15/62 15/40	識別記号 P 8125-5L 5 3 0 R 7050-5L	F I	技術表示箇所
---	--------------------------------------	-----	--------

審査請求 未請求 請求項の数(全 8 頁)

(21)出願番号 特開平3-167016	(71)出願人 00004226 日本電通電話株式会社 東京都千代田区内幸町一丁目1番6号 竹田 忠雄
(22)出願日 平成3年(1991)7月8日	(72)発明者 東京都千代田区内幸町一丁目1番6号 日 本電通電話株式会社内 (74)代理人 井理士 秋田 聡彦

(54)【発明の名称】 アルバム型画像データベースシステム


(57)【要約】

【目的】 アルバム型画像データベースシステムの画像情報の入力操作を簡便にし、該アルバムの登録に要する所要時間を短かくする。

【構成】 アルバムを構成するページに入力される画像情報の種類、画像情報の表示位置、表示寸法、画像情報の入力条件といった情報の組み合わせをページタイプとして定義・登録し、アルバムの登録時に上記登録されたページタイプの中から所望のページタイプを選択してアルバムにページを設定し、これによって該ページに設定される画像情報の種類、表示位置、表示寸法、入力条件といった情報の組みに基いて、あるいは該情報の組の一部を変更して、画像情報を該ページに入力する。

【効果】 アルバム型画像データベースシステムの画像情報の入力操作を簡便にし、該アルバムの登録に要する所要時間を短縮することができる。

図 1



【特許請求の範囲】

【請求項1】 1つあるいは複数のインデックスあるいはキーワードにより唯一に指定できるアルバムを定義し、該アルバムが1つあるいは複数のページにより構成され、当該ページ毎に1つあるいは複数の画像情報が、該画像情報の種類、該画像情報の当該ページ内での表示寸法と表示位置の情報及び該画像情報の入力条件と対応づけ登録されるアルバム型画像データベースシステムにおいて、アルバムを構成するページに登録される画像情報の種類、該画像情報のページ内での表示位置及び該画像情報の入力条件をページタイプとして定義・登録し、アルバムへの画像情報の登録時に、既に登録されているページタイプの中から所望のページタイプを選択して上記アルバムにページを設定し、これにより該ページに設定されてなる画像情報の種類、該画像情報の表示寸法と表示位置及び該画像情報の入力条件に従って、あるいはこれらの一部を変更して、画像情報を当該ページに登録することを特徴とするアルバム型画像データベースシステム。

【発明の詳細な説明】

【0001】
【産業上の利用分野】 本発明は、画像データベースシステムに関し、特に、画像情報を登録・保存したり、検索・表示する手段を有する画像データベースシステムに関するものである。

【0002】

【従来の技術】 従来のこの種のアルバム型画像データベースシステムでは、例えば図1に示した処理手順に従って画像情報が登録される。図1のフローチャートに従って、画像情報の登録方法を説明する。

【0003】 まず、ステップ41では、画像情報の登録機能を選択する。ステップ42では、既に登録・登録されているアルバムタイプから選択して、登録すべきアルバムを設定し、ステップ43では、該アルバムの登録・検索用インデックスやキーワードに値を設定する。

【0004】 ステップ44では該アルバムに1つのページを設定するか、あるいは既に設定されているページを選択するか、あるいは既に設定されているページを選択する。ステップ45では、入力する画像情報の種類・指定・相対する。画像情報の種類としては、例えば、カラー写真画像情報、モノクロ写真画像情報、カラーキャプチャ画像情報、モノクロキャプチャ画像情報がある。ステップ46では、入力する画像情報の入力条件、画像表示位置、画像表示寸法を設定する。画像情報の入力条件としては、例えばカラーキャプチャ画像情報に対する解像度、明るさ、1画素当りのビット数などである。ステップ47では、画像情報が入力され、設定されたページ内での表示位置や表示寸法に従って、画像表示画面に表示される。

【0005】 ステップ48では、さらに画像情報が入力される場合、あるいは該情報が登録される。画像情報が登録される場合

は、ステップ49へ進む。画像情報がもはや入力されない場合は、ステップ50へ進む。ステップ49では、次の画像情報を入力するために、入力するページを変更するか否かが判断される。ページを変更する場合は、ステップ44に進む。ページを変更しない場合は、ステップ45へ進む。ステップ50ではアルバムをデータベースに登録する。

【0006】

【説明が解決しようとする問題】 しかしながら、従来のアルバム型画像データベースシステムでは、画像情報を登録する場合、画像情報毎に画像情報の種類、画像情報の入力条件、画像表示位置、画像表示寸法といった情報を設定あるいは変更する必要がある。従って、多くの画像情報を登録するのに長い処理時間を要し、登録のための操作が非常に煩雑になるという問題があった。

【0007】 本発明の目的は、ページ毎に入力される画像情報について、その種類、画像情報の入力条件、画像表示位置、画像表示寸法といった情報の組を類似するかあるいは一致するアルバムへの画像情報の入力操作を簡便にし、該アルバムの登録に要する所要時間を短縮することが可能なアルバム型画像データベースシステムを提供することにある。

【0008】 本発明の前提ならびにその他の目的及び新規な特徴は、本明細書の記述及び添付図面によって明らかにする。

【0009】

【課題を解決するための手段】 前記目的を達成するために、本発明においては、1つあるいは複数のインデックスあるいはキーワードにより唯一に指定できるアルバムを定義し、該アルバムが1つあるいは複数のページにより構成され、当該ページ毎に1つあるいは複数の画像情報が、該画像情報の種類、該画像情報の当該ページ内での表示寸法と表示位置の情報及び該画像情報の入力条件と対応づけ登録されるアルバム型画像データベースシステムにおいて、アルバムを構成するページに登録される画像情報の種類、該画像情報のページ内での表示寸法と表示位置及び該画像情報の入力条件をページタイプとして定義・登録し、アルバムへの画像情報の登録時に、既に登録されているページタイプの中から所望のページタイプを選択して上記アルバムにページを設定し、これにより該ページに設定されてなる画像情報の種類、該画像情報の表示位置と表示寸法及び該画像情報の入力条件に従って、あるいはこれらの一部を変更して、画像情報を当該ページに登録することを特徴とする。

【0010】

【作用】 前述の手段によれば、ページタイプとして、アルバムを構成するページに入力する画像情報の種類、画像情報の入力条件、画像情報の表示位置及び画像情報の表示寸法といった情報の組を定義・登録し、アルバムの登録時に上記登録されたページタイプの中から所望のページ

ージタイプを選択してアルバムにページを設定し、これによって該ページに画像情報、動画情報の入力条件、画像情報の表示位置及び画像情報の表示寸法とといった情報の組が設定されるため、従来のこの種のシステムのようにページに力する画像情報毎に該画像情報の種類、入力条件、表示位置及び表示寸法といった情報の組を設定する必要がなく、上記設定された情報の組に従って、あるいは該情報の組の一部を変更して、ページに画像情報を入力することができると、

【0011】このため、画像情報に付した上記の画像情報の種類、入力条件等の情報の組を設定する操作が非常に簡便となり、画像情報の入力、アルバムの登録に要する所要時間を大幅に短縮することができる。また、データベースの記憶が大きいに依って、上記情報の組の数が多くなくすることが予想され、上記の画像情報に付した情報の組のみを設定する操作の簡便化や画像情報の入力、アルバムの登録に要する所要時間を短縮することができると、

【0012】
【実施例】以下、本発明の実施例を図面を用いて詳細に説明する。

【0013】図1は、本発明の1つの実施例であるページタイプの登録手順を示したフローチャート、図2は、本発明の1つの例を実施するための装置の構成図を示す図、図3は、図2におけるアルバム格納部、ページタイプ格納部及びアルバムタイプ格納部に格納される内容を詳細に示した模式図、図4は、ページタイプ設定画面の1つの例を示した模式図である。

【0014】本実施例のアルバム型面データデータベース10014は、本実施例の図2に示すように、コマンドを入力するための、マウス、キーボードよりなるコマンド入力装置11、画像情報を入力するためのカメラ、スクリーン等からなる画像情報入力装置12、ディスプレイ、CRT等の表示装置よりなる出力装置13、光ディスク等よりなる外部記憶装置14、タイプ管理部15を含むメモリ16及び中央演算処理装置17からなるコンピュータ18を備えている。そして、前記外部記憶装置14は、アルバム格納部14Aを含み、前記タイプ管理部15は、ページタイプ格納部15Aと、アルバムタイプ格納部15Bを含んでいる。

【0015】これらアルバム格納部14A、ページタイプ格納部15A及びアルバムタイプ格納部15Bの詳細を図3に示す。

【0016】アルバム格納部14Aには、作成されたアルバムA1、A2、A3が格納される。1つのアルバムは、1つあるいは複数のページPG1、PG2、PG3からなり、各ページには1つあるいは複数の画像情報M1、M2、M3が格納されている。

【0017】ページタイプ格納部15Aには、1つある

いは複数のページタイプPT1、PT2がページタイプの番号PNを用いて格納される。1つのページタイプは、1つあるいは複数の画像情報の組OJ1、GJ2、GJ3を有する。各画像情報の組には、画像情報番号GNが付され、(イ)画像情報の種類、(ロ)該画像情報の当該ページ内での表示寸法、(ハ)該画像情報の当該ページ内での表示位置(ニ)該画像情報の入力条件等の情報が格納されている。

【0018】アルバムタイプ格納部15Bには、既に登録された1つあるいは複数のアルバムタイプAT1、AT2、AT3がアルバムタイプ番号ANを付して格納されており、アルバムの登録・検索用インデックスあるいはキーワードを適宜記入するための項目を備えている。

【0019】図4にページタイプ設定画面の一例を示す。図4で、Bi(i=1、2、3、4)は画像情報の種類を選択するボタンで、B1はモノクロ写真画像、B2はカラー写真画像、B3はモノクロスクリーン画像、B4はカラースクリーン画像である。Cは画像情報の入力条件設定領域であり、Nはページタイプ名の入力領域、I、Rは画像情報入力領域の設定領域、I、Mは画像情報入力領域の設定領域I、Rに設定された画像情報入力領域、P1及びP2は該画像情報入力領域の左上角及び右下角の点、Wは表示画面である。

【0020】次に、本実施例のアルバム型面データデータベースシステムにおけるページタイプの登録手順を説明する。

【0021】ページタイプの登録は、図4に示すように、ステップ1では、ページタイプ登録機能を選択する。

【0022】ステップ2では、画像表示装置3の表示画面Wに、図4のページタイプ設定画面を表示する。

【0023】ステップ3では、登録するページタイプの名称を入力する。図4に示した例では、ページタイプ名入力領域Nにコマンド入力装置11のキーボードからページタイプ名を入力する。

【0024】ステップ4では、入力する画像情報の種類を選択する。図4の例では、ボタンBiをコマンド入力装置11のキーボードあるいはマウスを用いて指定することによって、該指定されたボタンBiに対応した画像情報の種類が選択される。

【0025】ステップ5では、入力される画像情報の表示位置及び表示寸法を設定する。図4の例では、画像情報入力領域の設定領域I、Rに、コマンド入力装置11のマウスあるいはキーボードを用いて、画像情報入力領域I、Mの左上角の点P1と右下角の点P2を指定することによって、画像情報の表示位置及び表示寸法を設定している。

【0026】ステップ6では画像情報入力条件領域Cに、例えばカラースクリーン画像に対しては、解像度、明るさ、1画面当りのビット数などの条件を設定する。

【0027】ステップ7では、ステップ4からステップ6までの手順を繰り返すか否かを判定する。ここで、繰り返す場合にはステップ4へ進み、繰り返さない場合はステップ8へ進む。

【0028】ステップ8では、ステップ3からステップ7までの手順により設定されたページタイプを登録する。ページタイプ番号PNは、自動的に付与される。

【0029】次に、図2、図3、図5及び図6を用いて、本実施例であるアルバム型面データデータベースシステムにおける画像情報の登録手順を説明する。

【0030】図5は、本実施例のアルバム型面データデータベースシステムにおける画像情報の登録手順を示したフローチャート、図6は、既に登録されているページタイプの中から所望の1つのページタイプを選択・指定することによってアルバム内に設定されたページの1つの例を示した模式図である。

【0031】画像情報の登録手順は、図5に示すように、ステップ21では、画像情報の登録機能を選択する。

【0032】ステップ22では、図2のアルバムタイプ格納部15Bに既に登録されているアルバムタイプか、所望のタイプを選択して登録すべきアルバムを設定する。

【0033】ステップ23では、該アルバムの登録・検索用インデックスやキーワードに値を設定する。

【0034】ステップ24では、該アルバムに1つのページを設定するか、あるいは該アルバム内に既に設定されているページを選択する。

【0035】ステップ25では、ステップ24で設定あるいは選択されたページにページタイプを指定するか否かを判断する。ページタイプを指定する場合はステップ26へ進み、ページタイプを指定しない場合はステップ27へ進む。

【0036】ステップ26では、ステップ24で設定あるいは選択されたページに、図3の15Aに示されたような、既に設定・登録されているページタイプの中から所望のページタイプを選択・指定する。

【0037】図5にページタイプを指定することによって設定されたページの1つの例を示す。図5で、PGはページ、I、MからI、M4は画像情報入力領域であり、I、M(i=1、2、3、4)には入力する画像情報の種類、画像情報の入力条件が対応付けて該ページに登録されている。I、Mの画像情報の種類を表示するためには、例えば画像情報の種類欄に異なる色を用いてI、Mが明示される。

【0038】ステップ27では、ページタイプの指定により設定された画像情報入力領域I、Mに画像情報を入力するか否かを判定し、画像情報入力領域I、Mに画像情報を入力する場合はステップ28に進む、設定されている画像情報入力領域I、Mを用いない場合はステップ

34へ進む。

【0039】ステップ28では、ページタイプを指定することによって当該ページに設定された画像情報入力領域I、M1からI、M4の中の、所望の1つの画像情報入力領域I、M1を選択する。

【0040】ステップ29では、選択した画像情報入力領域I、M1に設定されている画像情報入力条件、画像表示位置、画像表示寸法を変更するか否かを判定する。変更しない場合はステップ31に進む、変更する場合はステップ30へ進む。

【0041】ステップ30では、画像情報入力領域I、M1に設定されている画像情報入力条件や画像表示位置、画像表示寸法(画像情報入力領域の位置と寸法)を変更する。例えば、画像情報入力条件の変更は、変更を指定することによって、設定されている入力条件が画像表示画面に表示され、この入力条件の設定値をコマンド入力装置11のキーボードにより修正・変更することによって行われる。画像表示位置や表示寸法の変更は、変更を指定し、ページ内に新たに画像情報入力領域の左上角の位置と左上角の位置を指定して、新たに画像情報入力領域を設定することによって行われる。

【0042】ステップ31では、選択した画像情報入力領域I、M1に所望の画像情報を画像情報入力装置12から入力し、CRT等の出力装置13に表示するか否かを判断する。ステップ32では、さらに画像情報を入力するか否かを判断する。画像情報を入力する場合はステップ33に進み、入力しない場合はステップ36に進む。

【0043】ステップ33では、さらに画像情報を入力するのに、ページを変更するか否かを判断する。ページを変更しない場合はステップ28へ進み、ページを変更する場合はステップ24へ進む。

【0044】ステップ34からステップ35は、ページに設定されている画像情報入力領域I、Mを用いないで画像情報を入力する場合、あるいはページタイプが指定されていないために画像情報入力領域が設定されていないページに画像情報を入力する場合の手順である。


【0045】ステップ34では、入力する画像情報の種類・指定する。画像情報の種類としては、例えば、カラー写真画像情報、モノクロ写真画像情報、カラースクリーン画像情報、モノクロスクリーン画像情報がある。

【0046】ステップ35では、入力する画像情報の入力条件、画像表示位置、画像表示寸法を設定する。画像情報の入力条件としては、例えばカラースクリーン画像情報に対する解像度、明るさ、1画面当りのビット数、などがある。ステップ35の処理が終了するとステップ31へ進む。


【0047】ステップ36では、アルバムの登録を行い、画像情報の登録処理を終了する。

【0048】以上の説明からわかるように、本実施例の

【図4】




【図6】



【図5】

図5



【図7】

